



## **Scientist Presents Clinical Evidence to Halt Covid Shots**

The association between excess mortality and disability rates and genetic Covid shots is getting stronger. On Monday, Dr. Joseph Fraiman, lead author of a peer-reviewed study on Pfizer and Moderna clinical trials for mRNA Covid jabs, called for an immediate suspension of these products, citing "conclusive evidence" of them causing serious adverse events, including sudden cardiac arrests.

In a video posted on Rumble, Fraiman, an emergency medicine physician in New Orleans, Louisiana, referenced his study posted in *Vaccine* in September 2022 that found that mRNA shots increased serious adverse events at a rate of one in 800.



Mohammed Haneefa Nizamudeen/iStock/Getty Images Plus

As alarming as this rate was, neither Fraiman nor his co-authors believed that their study alone would grant a withdrawal of the shots, but did call for a "formal harm-benefit analysis." The absence of such an analysis seems stumbling in light of the mantra repeated by healthcare officials and media figures that the benefits of Covid inoculations "far" outweigh the risks of "rare" side effects in all cohorts, regardless of age, health conditions, and previous Covid infection.


Fraiman further said that since the study's publication, "new pieces of evidence have come to light, and this has caused me to reevaluate my position."


He continued by referring to a heavily referenced *BMJ* study regarding the U.S. Food and Drug Administration's (FDA) own observational surveillance data from all Covid shots authorized for use in the United States. In it, the agency identified the same adverse events associated with genetic shots as Dr. Fraiman and his co-authors. However, the FDA has failed to inform the public of these findings, noted the researcher.

Then, said Fraiman, there are multiple autopsy studies "that find essentially conclusive evidence that the vaccines are inducing sudden cardiac deaths." Among others, there is a study titled "Autopsy-based histopathological characterization of myocarditis after anti-SARS-CoV-2-vaccination," which reported that out of 25 people who had died unexpectedly and within 20 days of Covid inoculations, five of them showed signs of myocarditis for which no other cause was identified except the shots. There are also studies (here and here) that point to the statistically significant increase of vaccine-induced immune thrombotic thrombocytopenia (VITT), a condition in which the immune system starts attacking and destroying platelets, or thrombocytes, that help blood clot. As a result, various hemorrhages may occur. Notably, recently released data from the government-run Vaccine Adverse Event Reporting System (VAERS) shows that cardiac issues, thrombosis, and hemorrhages are listed as major groups of adverse events occurring after vaccination, according to the analysis done by ZeroHedge.










ZeroHedge







ZeroHedge

Autopsies of people who died shortly after being jabbed have apparently been done, and the results are known to the FDA, yet the agency will not share them with the public.

Fraiman then pointed to the excess mortality in heavily vaccinated countries and says that the increase in deaths coincided with the start of mass vaccination campaigns:

While many nations that have been using the messenger RNA vaccines have experienced an increase in excess mortality, more people dying than should be expected from past years.

And this correlates in time with the initial vaccine rollout and then with the subsequent booster campaign.

Nations with higher messenger RNA vaccine uptake have correlations with higher rates of excess mortality. While the cause of this excess mortality is not known, researchers analyzing this data were unable to identify any other reasonable cause of the excess death other than the vaccines.

Indeed, while common sense suggests that high vaccination rates should bring the mortality rates down by making people more resistant to the disease, the opposite has happened. Countries of the <u>European Union</u>, the <u>U.K.</u>, <u>Canada</u>, <u>Australia</u>, and the <u>United States</u> all saw excess deaths in 2021 and 2022.

There is another important factor to consider, according to Fraiman, and that is the continuous mutation of the Covid virus to become more vaccine-escaping, more transmissible, and less deadly, which diminishes the purported benefits of the shots even more.

The scientist concludes:







I believe, given the information, the messenger RNA vaccines need to be withdrawn from the market until new randomized controlled trials can clearly demonstrate the benefits of the vaccine outweigh the serious harm we now know the vaccines are causing.

The vaccine-induced injury rate was also established in a two-part peer-reviewed study titled "Curing the pandemic of misinformation on COVID-19 mRNA vaccines through real evidence-based medicine" (available <a href="here">here</a> and <a href="here">here</a>), also posted last September. That study's author, renowned British cardiologist Dr. Aseem Malhotra, also <a href="called">called</a> for the suspension of Covid shots, arguing the vaccines cause more harm than Covid.







## **Subscribe to the New American**

Get exclusive digital access to the most informative, non-partisan truthful news source for patriotic Americans!

Discover a refreshing blend of time-honored values, principles and insightful perspectives within the pages of "The New American" magazine. Delve into a world where tradition is the foundation, and exploration knows no bounds.

From politics and finance to foreign affairs, environment, culture, and technology, we bring you an unparalleled array of topics that matter most.



## **Subscribe**

## What's Included?

24 Issues Per Year
Optional Print Edition
Digital Edition Access
Exclusive Subscriber Content
Audio provided for all articles
Unlimited access to past issues
Coming Soon! Ad FREE
60-Day money back guarantee!
Cancel anytime.